

CDC Home

Search Health Topics A-Z

National Center for Health Statistics

About NCHS® NCHS en Español ® FASTSTATS A to Zm HelpF

Events a

Surveys and Data
Collection Systems NHANES =

NHCS > NHIS W MIS# NSFG

SLATTS # Vital Statistics

Initiatives :

Aging a Disease Classification = Healthy People # Injury #

> Research and w Development

Press Room # News Releases

Publications and # Information **Products** SETS **■**

Listservs #

Viewer®

Other Sites Download:

Adobe Acrobat # Reader®

Adobe Acrobat ■ Reader® for the visually disabled Microsoft PowerPoint #

National Center for Health Statistics 3311 Toledo Road Hyattsville, MD 20782

(301) 458-4000

Toll Free Data Inquiries 1-866-441-NCHS

ABCDEFGHIJKLMNOPORSTUV WXYZ

FASTATS Home | NCHS Home | CDC/NCHS Privacy Policy Notice Accessibility | Search NCHS | Data Definitions | Contact us

Pregnancy Risk Factors

(All figures are for U.S.)

- Percent of Mothers Who Smoke During Pregnancy: 11.4% (2002)
- Percent of Mothers Who Drink During Pregnancy: 0.8% (2002)
- M Number of Mothers With Anemia: 102,788 (2002)
- M Number of Mothers With Diabetes: 131,027 (2002)
- Number of Mothers With Pregnancy-Associated Hypertension: 150,854 (2002)
- Number of Mothers With Uterine Bleeding: 20,666 (2002)
- Number of Mothers With Moderate/Heavy Meconium: 200,408 (2002)
- Mumber of Mothers With Premature Rupture of Membrane: 92,550 (2002)

Source: Births: Final Data for 2002

Comprehensive Data

Number of Live Births by Smoking Status of Mother and Other **Smoking Characteristics**

View/download PDF

Number and Rate of Live Births to Mothers with Selected Risk **Factors**

View/download PDF

Related Links

- Natality Data Web page
- National Survey of Family Growth Web page
- American College of Obstetricians and Gynecologists

Premature Rupture of Membrane

7/6/2004

http://www.cdc.gov/nchs/fastats/pregrisk.htm